

E. BIBLIOGRAFÍA

Parte A. GENERALIDADES Y PRINCIPALES COMPONENTES (Capítulos I, II, III, IV y V)

- Akbarinezhad, E. et al. Synthesis and evaluation of water-reducible acrylic–alkyd resins with high hydrolytic stability. *Progress in Organic Coatings*, 65 (2), 217-221, 2009.
- Ash, M.; Ash, I. *Handbook of Industrial Surfactants*, Vol. I, 3^o ed., Synapse Information Resources Inc., Estados Unidos de América, 2003.
- Bongiovanni, R. et al. High performance UV-cured coatings for wood protection. *Progress in Organic Coatings*, 45 (4), 359, 2002.
- Bongiovanni, R. et al. Properties of UV-curable Coatings containing fluorinated acrylic structures. *Progress in Organic Coatings*, 36 (1, 2), 70, 1999.
- Brock, T.; Goteklaes, M.; Mischke, P. *European Coatings Handbook*, Ed. Vincentz Verlag, Alemania, 1999.
- Brandan, A. *Introduction to Coatings Technology*, Federation Series on Coatings Technology, FSCT Editor, Estados Unidos de América, 1990.
- Caprari, J. J. *Pinturas*. Editor Martinez, J. M. Programa de Ciencia y Tecnología para el Desarrollo (CYTED), Red VIILD, España, 2003.
- Cheng, X. et al. Synthesis and properties of silsesquioxane-based hybrid urethane acrylate applied to UV-curable flame-retardant coatings. *Progress in Organic Coatings*, 65 (1), 1-9, 2009.
- Croll, S. *DLVO Theory Applied to TiO₂ pigments and Other Materials in Latex Paints*. *Progress in Organic Coatings* 44, 131-146, 2002.
- Dow Corning Corporation. *Resins and Intermediates for Paints and Coatings*. Form. n° 25-799 E 01, Michigan, Estados Unidos de América, 2001.
- Florio, J.; Miller, D. *Handbook of Coating Additives*, CRC Press 2^o ed., Estados Unidos de América, 2003.
- Giudice, C. A. *Pinturas acuosas a base de silicatos inorgánicos, modificadas con dispersiones poliméricas, para la protección del patrimonio cultural*. Programa de Ciencia y Tecnología para el Desarrollo (CYTED), Subprograma XV, Red Temática XV-E, España, 2001.

- Giudice, C. A. Bioactivity of Antifouling Paints, Manual Barnacle, American Institute of Biological Sciences and Tulane University, Estados Unidos de America, 329-358, 1999.
- Giudice C. et al. Zinc-rich epoxy primers based on lamellar zinc dust, Surface Coatings International, Inglaterra, 80 (6), 279, 1997.
- Giudice, C. A.; Benitez, J. C. Coatings for Corrosion Prevention of Seawater Structures, Corrosion Reviews, Inglaterra, 14 (1-2), 1-14, 1996.
- Giudice, C. A.; Benitez, J. C. Micaceous iron oxide in corrosion-inhibiting coatings and sealers. 6º Congresso Internacional de Tintas, San Pablo, Brasil, Vol. II, 493-502, 1999. Pinturas y Acabados Industriales, España XLII (259), 25-29, 2000.
- Giudice, C. A.; Benitez, J. C. Optimising the corrosion protective abilities of micaceous iron oxide containing primers, Anticorrosion Methods and Materials, Inglaterra, 47 (4), 226-232, 2000.
- Giudice, C. A.; Benitez, J. C. Zinc borates as flame retardant pigments in chlorine- containing paints, Progress in Organic Coatings, Suiza, 42, 82-88, 2001.
- Giudice, C. A.; Benitez, J. C; Pereyra, A. M. Influence of extender type on modified lamellar zinc rich primers, Journal of Coatings Technology Research, Estados Unidos de América, 4 (1), 291-306, 2004.
- Giudice, C. A.; Benitez, J. C.; Tonello, M. L. Chromium tannates as inhibitors in anticorrosive coatings: influence of the metal content, European Coatings Journal, Alemania, (6), 48-54, 2000.
- Hare, C. Protective Coatings, SSPC (The Society for Protective Coatings), Estados Unidos de América, 2003.
- Jacquemet, E. et al. Morphology and thermo-mechanical properties of new hybrid coatings based on polyester/melamine resin and pyrogenic silica. Progress in Organic Coatings, 66 (1), 86-92, 2009.
- Kardar, P. et al. Using mixture experimental design to study the effect of multifunctional acrylate monomers on UV cured epoxy acrylate resins. Progress in Organic Coatings, 64, 1, 74-80, 2009.
- Li, H. et al. Two-step synthesis and characterization of urea-isobutyraldehyde-formaldehyde resins. Progress in Organic Coatings, 66 (2), 167-172, 2009.

- Maluf Amarilla, V. L.; da Silva Filho, J. L.; Giannini-Carbono, R. Replacement of solvent based resins by water-based resins, Anales 7º Congresso Internacional de Tintas, Brasil, Vol. 2, 459-468, 2001.
- Masson, F. et al. UV-curable formulations for UV-Transparent optical fiber coatings: I. Acrylic resins. *Progress in Organic Coatings*, 49 (1), 1, 2004.
- Mishra, A.; Jena, K.; Raju, K. Synthesis and characterization of hyperbranched polyester–urethane–urea/K10-clay hybrid coatings. *Progress in Organic Coatings*, 64 (1), 47-56, 2009.
- Okadaa, K. et al. Acrylic/Poliester hybrid powder coatings system having excellent weather durability. *Progress in Organic Coatings*, 34 (1-4), 169, 1997.
- Oldring, P. Waterborne and Solvent Based Epoxies and Their End User Application, Ed. Wiley / SITA Technology, Estados Unidos de América/Inglaterra, 1996.
- Parashar, G. et al. Ethyl silicate binders for high performance coatings, *Progress In Organic Coatings*, Suiza, 42 (1-2), 1, 2001.
- Paul, S. Surface Coatings. Science and Technology, 2º Ed., John Wiley and Sons, Estados Unidos de América, 1997.
- Pichavant, L.; Coqueret, X. Optimization of a UV-curable acrylate-based protective coating by experimental design. *Progress in Organic Coatings*, 63 (1), 55-62, 2008.
- Posey Dowty, J., Robe, G. R., Sik Seo, K. Development of a Water Dispersible Cellulose Ester, Anales 7º Congresso Internacional de Tintas, Brasil, Vol. 1, 51-62, 2001.
- Rouquel, J.; Rouquel, F.; Sing, K. Absorption by Powders and Porous Solids, Elsevier, Academic Press, Estados Unidos de América, 1999.
- Sánchez, E. M. et al. Unsaturated Polyester Resins: Influence of the styrene concentration on the miscibility and mechanical properties. *Polymer*, 41 (2), 765, 2000.
- Smith, L. Generic Coating Types. An Introduction to Industrial Maintenance Coating Material. Ed. Technology Publishing Company, Estados Unidos de América, 1996.

- Steward, P. A.; Hearm, J.; Wilkilson, M. C. An overview of polymer latex film formation and properties. *Adv. Coll. Interf. Sci.*, 86, 195-267, 2000.
- Talbert, R. Powder Coater's Manual. Ed. Curt R. Vincentz Verlag, Alemania, 1997.
- The Society for Protective Coatings. *The Inspection of Coatings and Linings: A Handbook of Basic Practice for Inspectors, Owners and Specifiers*, Ed. Appleman, B. R., 1997.
- Thomas, P. Polyurethanes (Volume III). Waterborne and Solvent based Surface Coatings. Resins and Their Applications, Ed. John Wiley & Sons, New York/London, 1999.
- Tielemans, M.; Roose, P. Study of the rheology of aqueous radiation curable polyurethane dispersions modified with associative thickeners. *Progress in Organic Coatings*, 63 (2), 182-188, 2008.
- Vilche, J. et al. Application of EIS and SEM to evaluate the influence of pigment shape and content in ZRP formulations on the corrosion prevention on naval steel, *Corrosion Science*, Inglaterra, 44, 1287, 2002.
- Wang, F.; Hu,J.; Tu, W. Study on microstructure of UV-curable polyurethane acrylate films. *Progress in Organic Coatings*, 62 (3), 245-250, 2008.
- Whitehouse, N. et al. Which acceleration test is best?. *J. Protect. Coatings Linings*, 17 (8), 17-25, 2000.
- Yonehara, Y. et al. A new antifouling paint based on a zinc acrylate copolymer. *Progress in Organic Coatings*, 42 (3, 4), 150, 2001.
- Zhu, X. et al. Influence of ingredients in water-based polyurethane-acrylic hybrid latexes on latex properties. *Progress in Organic Coatings*, 62 (3), 251-257, 2008.

Parte B. RELACIÓN PIGMENTO/MATERIAL FORMADOR DE PELÍCULA (Capítulos VI y VII)

- Ash, M.; Ash, I. *Handbook of Industrial Surfactants*, Vol. I, 3^o ed., Synapse Information Resources Inc., Estados Unidos de América, 2003.

- Boyd, R. et al. *The Science of Polymer Molecules*, Cambridge University Press, Inglaterra, 1996.
- Caprari, J. J. Pinturas. Editor Martinez, J. M. Programa de Ciencia y Tecnología para el Desarrollo (CYTED), Red VIILD, 2003.
- Castellán, G. *Fisicoquímica*, Addison Wesley Longman S. A., México, 1998.
- Croll, S. *DLVO Theory Applied to TiO₂ pigments and Other Materials in latex paints*. *Progress in Organic Coatings* 44, 131-146, 2002.
- Dabrowski, V. *Adsorption on New and Modified Inorganic Sorbents*, 2^o ed., CRC Press, Estados Unidos de América, 2000.
- Fleer, G.; Cohen Stuart, M.; Scheutjens, J.; Cosgrove, T.; Vicent, V. *Polymers and Interfaces*, Chapman & Hall, Inglaterra, 1993.
- Florio, J.; Miller, D. *Handbook of Coating Additives*, CRC Press 2^o ed., Estados Unidos de América, 2003.
- Galet, L.; Goalard, C.; Dodds, J. *The importance of surface energy in the dispersion behaviour of talc particles in aqueous media*. *Powder Technology*, 190, 242–246, 2009.
- Giudice, C. A.; Benitez, J. C.; Tonello, M. L. *Chromium tannates as inhibitors in anticorrosive coatings: influence of the metal content*, *European Coatings Journal*, Alemania, (6), 48-54, 2000.
- Giudice, C. A.; Benitez, J. C; Pereyra, A. M. *Influence of extender type on modified lamellar zinc rich primers*, *Journal of Coatings Technology Research*, Estados Unidos de América, 4 (1), 291-306, 2004.
- Giudice, C.A., Benitez, J.C. *Pigment dispersion degree and its evolution in storage*, *Pigment and Resin Technology*, Inglaterra, 27 (5), 298-303, 1998.
- Hare, C. *Paint Film Degradation*, SSPC (The Society for Protective Coatings), Estados Unidos de América, 2003.
- Hare, C. *Protective Coatings*, SSPC (The Society for Protective Coatings), Estados Unidos de América, 2003.
- Hwang, S. et al. *Mechanical milling of magnesium powder*. *Materials Science and Engineering*, A318 22–33, 2001.
- Ibach, H.; Lüth, M. *Solid-State Physics. An Introduction to Principles of Materials Science*, 2^o ed., Springer Verlag, Holanda, 1995.

- Kalendová, A. et al. Organic coatings containing polyaniline and inorganic pigments as corrosion inhibitors. *Progress in Organic Coatings*, 62 (1), 105-116, 2008.
- Lambourne R. *Paint and Surface Coatings. Theory and Practice*, Ellis Horwood Limited, England, 1993.
- Paul, S. *Surface Coatings, Science and Technology*, John Wiley and Sons, 2º ed., Estados Unidos de América, 1997.
- Qi, X. et al. Electrochemical investigations into polypyrrole/aluminum flake pigmented coatings. *Progress in Organic Coatings*, 63 (3), 345-351, 2008.
- Rouquel, J. ; Rouquel, F. ; Sing, K. *Absorption by Powders and Porous Solids*, Elsevier, Academic Press, Estados Unidos de América, 1999.
- Rowell, R. *Characterization of Polymer Colloids: An Introduction to Polymer*, Candaú, F.; Ottewill, R. Eds., Kluwer Academic Publishers, Inglaterra, 1990.
- Vilche, J. et al. Application of EIS and SEM to evaluate the influence of pigment shape and content in ZRP formulations on the corrosion prevention on naval steel, *Corrosion Science*, Inglaterra, 44, 1287, 2002.

Parte C. MANUFACTURA DE PINTURAS (Capítulos VIII, IX, X y XI)

- Caprari, J. J. *Pinturas*. Editor Martínez, J. M. Programa de Ciencia y Tecnología para el Desarrollo (CYTED), Red VIILD, 2003.
- Corbitt, Robert. *Manual de Referencia de la Ingeniería Ambiental*. Mc Graw Hill, Madrid, España, 2003.
- Croll, S. *DLVO Theory Applied to TiO₂ pigments and Other Materials in latex paints*. *Progress in Organic Coatings* 44, 131-146, 2002.
- De Nevers, Noel. *Ingeniería de Control de la Contaminación*. McGraw-Hill, México, 1997.
- Desjonqueres, M.; Spanjaard, D. *Concepts in Surface Physics*, 2º ed., Springer Verlag, Holanda, 1996.

- Fadda S. et al. Modelling breakage and reagglomeration during fine dry grinding in ball milling devices. *Powder Technology*, 194, 207–216, 2009.
- Fair, Gordon; Geyer, John. *Ingeniería Sanitaria y de Aguas Residuales*. Limusa, México, 1993.
- Fulko, Silvia. Estudio de Impacto Ambiental. Proyecto GTZ-Cipra. Protección del Medio Ambiente Industrial y Urbano. Cooperación Técnica Argentino-Alemana, Buenos Aires, Argentina, 2005.
- Hassan, A.; Kostka, S. Cálculo de Inversiones Medioambientales en la Industria Química. Proyecto GTZ-Cipra. Protección del Medio Ambiente Industrial y Urbano. Cooperación Técnica Argentino-Alemana, Buenos Aires, Argentina, 2004.
- Galet, L.; Goalard, C.; Dodds, J. The importance of surface energy in the dispersion behaviour of talc particles in aqueous media. *Powder Technology*, 190, 242–246, 2009.
- Giudice, C. A. Dispersion of cuprous oxide in soluble matrix antifouling paints. *Rheology and efficiency, Pitture e Vernici, Italia*, 67 (1), 5-13, 1991.
- Giudice, C.A.; Benitez, J.C. Rheology of pigment dispersion during paint manufacture, *Pitture e Vernici, Italia*, 70 (11), 33-36, 1994.
- Giudice, C. A.; Benitez, J. C. Pigment dispersion degree and its evolution in storage, *Pigment and Resin Technology*, Inglaterra, 27 (5), 298-303, 1998.
- Giudice, C. A.; Benitez, J. C.; Tonello, M. L. Assesing the evolution of CPVC value during storage condition, *Paint and Ink International*, Inglaterra, 11 (4), 8-14, 1998.
- Goodwin, J.; Hughes, R. Particle Interactions and Dispersion Rheology, Glass, J. Ed., *Technology for Waterborne Coatings*, ACS Symposium Series Nº 663, PMSE, 1997.
- Lambourne, R. *Paint and Surface Coatings. Theory and Practice*. E. Horwood Limited Editorial, Inglaterra, 1993.
- Lauwerys, R. *Toxicología Industrial*. Masson, México, 1994.
- McCabe, W; Smith, J; Harriott, M.. *Operaciones unitarias en ingeniería química*. Mc Graw Hill, 7º edición, México, 2007.

- McCarty, P.; Parkin, G. and Sawyer, Clair N. Química para Ingeniería Ambiental. McGraw-Hill, México, 2001.
- Prouder, T. Particle Size Distribution II. Assessment and Characterization, American Chemical Society, Estados Unidos de América, 1991.
- Russel, W.; Saville, D.; Schowalter, W. Colloidal Dispersion, Cambridge University Press, 1989.
- Schwart, J. The Importance of low dynamic surface tension in waterborne coatings, Journal of Coating Technology, 64 (812), 65-74. 1992.
- Schofield, J. D. Extending the boundaries of dispersant technology. Progress in Organic Coatings, 45, 249–257, 2002.
- Stokes, R.; Evans, D. Fundamentals of Interfacial Engineering, Wiley / VCH, Estados Unidos de América, 1997.
- Vega de Kuyper, J. Manejo de Residuos de la Industria Química y Afín. Alfaomega, México, 1999.
- Villoria, G.; Giudice, C. A. Influence of Dispersion Degree on Critical Pigment Volume Concentration (CPVC) of Chlorinated Rubber Anticorrosive Paints, American Paint and Coatings Journal, 74 (12), 38-46, 1989.
- Wang, P et al. A novel process for simultaneous milling and coating of particulates. Powder Technology, 193, 65–68, 2009.
- Wright, R.; Nebel, B. Ciencias Ambientales. Pearson Educación, 6^ª Edición, Buenos Aires, Argentina, 1999.
- Xu, J.; Jamieson, A. M.; Wang, S. Q.; Qutubuddin, S. Shear thickening and time-dependent rheological behaviour in aqueous polyacrylic ester dispersions. J. Colloid Interface Sci., 182 (1), 172-180, 1999.

Parte D. FALLAS DE LA PELÍCULA Y CONTROL DE CALIDAD (Capítulos XII y XIII)

- Abel, B.; Hacker, D. Analysing paint and coating failures. Paint & Coatings Ind., 13 (3), 78-80, 1997.

- Amigo, J. Painting of aluminium: factors affecting the adhesion of paint films to aluminium. *Galvano-Organo*, 668, 556-558, 1996.
- Appleman, B. *The Inspection of Coatings and Linings*. The society for protective coatings, Estados Unidos de América, 1997.
- Benabdi, M.; Roche, A. Mechanical properties of thin and thick coatings applied to various substrate. II. Young's modulus determination of coating materials. *J Adhes. Sci. Tech.*, 11 (3), 373-391, 1996.
- Bloeck, M.; Furrer, P. Corrosion control of aluminium sheet alloys. *Werkstoffe Korrosion*, 46 (11), 622-627, 1995.
- Bosma, M. et al. The role of sag control agents in optimizing the sag/leveling balance and a new powerful tool to study this. *Progress in Organic Coatings*, 55 (2), 97-104, 2006.
- Brevoort, G. Inorganic zinc-rich coatings and galvanising: a comparison. *J. Protect, Coat. Linings*, 13 (9), 66-74, 1996.
- Bullian, F.; Caon, C.; Matelon, A. Performances of exterior coatings. *Wood Finishing*, 2, 12-19, 1999.
- Cabezas, M. et al. A new drop-shape methodology for surface tension measurement. *Applied Surface Science*, 238 (1-4), 480-484, 2004.
- Costello, B.; Beel, D. Rheological investigations of thickeners latex using parallel superpositions measurements. *Paint & Resin*, 68 (4), 14-16, 1999.
- Deacon, D. Specifying to prevent failures. *Surface Coatings International*, 82 (8), 403-407, 1999.
- Denshez, J. Surface preparation by very high pressure water jetting. *Surfaces*, 35 (266), 32-34, 1999.
- Donnick, J.; Sommerfeld, M.; Lindenthal, A.; Ruger, M. Paint spraying with low overspray II. *Metallooberflaeche*, 51 (1), 43-47, 1997.
- Droniou, P., Lapointe, M. Surface preparation by chemical immersion. *Surfaces*, 35 (266), 40-42, 1996.
- Dvorchak, M. Problems using water-based wood coatings? *American Paint Journal*, 81 (18), 30-31, 1997.
- Gerrard, D. Flow meters. *Control Instr.*, 28 (11), 25-31, 1996.

- Giudice, C.A.; Benitez, J.C. Optimising the corrosion protective abilities of micaceous iron oxide containing primers. *Anticorrosion Methods and Materials*, 47 (4), 226-232, 2000.
- Giudice, C.A.; Benitez, J.C.; Morcillo Linares, M. Zinc-rich epoxy primers based on laminar zinc dust. *Surface Coatings Int.*; 80 (6), 279-284, 1997.
- Giudice, C.A.; Benitez, J.C.; Tonello, M.L. Testing the use of metallic tannates as inhibitors in anticorrosive coatings. *Protective Coat. Europe*, 4 (5), 13-19, 1999.
- Hare, C. Trouble with paint: internal stress II. *J. Protective Coat. Linings*, 13 (9), 101-114, 1996.
- Harris, S. The role of additives in powder coatings. *Focus on Powder Coatings*, 9, 2-3, 2008.
- Hassan, Alli y Kostka, Sebastián. *Cálculo de Inversiones Medioambientales en la Industria Química. Proyecto GTZ-Cipra "Protección del Medio Ambiente Industrial y Urbano". Cooperación Técnica Argentino-Alemana*, Buenos Aires, Argentina, 2004.
- Henry, C. Designed permeability of micaceous iron oxide coatings. *J. Coat. Technology*, 62 (786), 33-38, 1990.
- Knudsen, R.; Eliasson, J.; Boocock, S.K. Using inorganic zincs as holding primers. *Protect. Coat. Europe*, 1 (11), 4-8, 1996.
- Kunaver, M. et al. The degree of dispersion of pigments in powder coatings. *Dyes and Pigments*, 57 (3), 235-243, 2003.
- Lambourne, R. *Paint and Surface Coatings. Theory and Practice*, Ellis Horwood Limited, Inglaterra, 1993.
- Lemaire, J. Predicting polymers durability. *Chemtech.*, 26 (10), 42-47, 1996.
- Muller, B.; Forster, I. Corrosion inhibitions of zinc pigments in aqueous alkaline media by aromatic hydroxy compounds. *J. Sci. Eng. Corros.*, 52 (10), 786-789, 1996.
- Nilsen, R.; Shceie, J. Testing the accuracy of adhesion/cohesion equipment. *Protect. Coat. Europe*, 1 (11), 24-32, 1996.

- Paul, S. *Surface Coatings. Science and Technology*, John Wiley and Sons, 2º ed., Estados Unidos de América, 1997.
- Rosler, M.A.; Klinke, E.; Kunz, G. Effect of temperature development during stone impact on damage morphology and adhesion of organic coatings. *J. Adhes. Sci. Tech.*, 10 (10), 1021-1030, 1996.
- Schwartz, J.; Warnke, D.A. Water-borne industrial maintenance primers: performance improvements via and additives approach. *Mod. Paint Coatings*. 86 (12), 25-32, 1996.
- Shirazi, B. Surface preparation and film application methods as relative to corrosion control. *Finish*, 3 (2), 23-26, 1996.
- SSPC, The Society for Protective Coatings. *The Inspection of Coatings and Linings*. Editor Appleman, B.R., 1997.
- Tielemans, M.; Roose, P. Study of the rheology of aqueous radiation curable polyurethane dispersions modified with associative thickeners. *Progress in Organic Coatings*, 63 (2), 182-188, 2008.
- Van Leeuwen, B. Comparison of accelerated test methods with exterior exposure. *Protect. Coat. Europe*, 1 (11), 42-45, 1996.
- Van Nevel, E. Anticorrosive epoxy coatings with volatile organic compound (VOC) content of 250 g/litre. *Pitture e Vernici*, 73 (1-2), 24-28, 1997.
- Vignolo, C.; Varela López, F.; Calvo, A. Defectos superficiales en películas de pinturas. *Pinturas y Acabados Industriales*, 52-58, 1998.
- Wang, W.; Schoor, J.L.; Doi, J. *Volatile Organic Compounds in the Environment*. ASTM STP, Publication 261, 1996.
- Whitehouse, N. et al. Which acceleration test is best? *J. Protect. Coat. Linings*, 17 (8), 17-25, 2000.
- Wicks, Zeno - *Organic Coatings: Science and Technology*. Vol. I., Film Formation, Components and Appearance. Wiley Interscience, Estados Unidos de América, 1992.
- Wulf, M. et al. Surface tension studies of levelling additives in powder coatings. *Progress in Organic Coatings*, 38, 2, 59-66, 2000.

ÍNDICE

Contenido	Página
A. GENERALIDADES Y PRINCIPALES COMPONENTES	1
Capítulo I. Definiciones y características esenciales	2
I.1 Introducción	2
I.2 Formación de película	4
I.3 Propiedades generales de una película de pintura	6
I.4 Clasificación de las pinturas	9
I.5 Medios de exposición	18
I.6 Aspectos técnico-económicos	19
Capítulo II. Materiales formadores de película	21
II.1 Introducción	22
II.2 Ligantes naturales	23
II.3 Ligantes naturales modificados	36
II.4 Resinas tipo poliéster	46
II.5 Acrilatos curados por radiación	55
II.6 Resinas alquídicas	57
II.7 Resinas acrílicas	67
II.8 Condensados de formaldehído	73
II.9 Resinas vinílicas	84
II.10 Caucho sintético	88
II.11 Resinas epoxídicas	91
II.12 Resinas poliuretánicas	103
II.13 Silicatos orgánicos e inorgánicos	110
II.14 Resinas de silicona	117
Capítulo III. Pigmentos funcionales y extendedores	124
III.1 Introducción	125
III.2 Clasificación de los pigmentos	126
III.3 Propiedades de los pigmentos	127
III.4 Interacción con el medio	134
III.5 Tipos de pigmentos	136
Capítulo IV. Aditivos	175
IV.1 Introducción	176
IV.2 Modificadores de la tensión superficial	176
IV.3 Agentes secantes	192
IV.4 Estabilizadores de la luz	193
IV.5 Biocidas	196
IV.6 Agentes mateantes	206
IV.7 Inhibidores de la corrosión en el envase	206
IV.8 Inhibidores instantáneos de la corrosión de sustratos ferrosos	206
IV.9 Aditivos reológicos	207

Capítulo V. Disolventes y diluyentes	223
V.1 Definiciones y clasificación	224
V.2 Caraterización de los solventes	226
V.3 Solventes en pinturas	229
V.4 Principales propiedades de los solventes	232
V.5 Generalidades sobre seguridad	241
B. RELACIÓN PIGMENTO/MATERIAL FORMADOR DE PELÍCULA	243
Capítulo VI. Formulación de pinturas base solvente orgánico	244
VI.1 Introducción	244
VI.2 Concentración de pigmento en volumen (PVC) y valor crítico	244
VI.3 Variables que influyen sobre la CPVC	246
VI.4 Índice de absorción de aceite	254
VI.5 PVC y propiedades de la película seca	256
VI.6 La PVC reducida como variable de formulación	258
Capítulo VII. Formulación de látices	260
VII.1 Introducción	261
VII.2 CPVC de látices: influencia de diferentes variables	262
VII.3 Determinación de la posición de la CPVC	267
VII.4 Formación de grietas en la película	268
VII.5 Formulación de pinturas para interiores y exteriores	268
C. MANUFACTURA DE PINTURAS	272
Capítulo VIII. Dispersión de pigmentos	273
VIII.1 Introducción	273
VIII.2 Tensión superficial e interfasial	273
VIII.3 Medición de la tensión superficial de líquidos	276
VIII.4 Determinación de la tensión superficial de sólidos	279
VIII.5 Evaluación de la rugosidad de superficies sólidas	281
VIII.6 Humectación de las partículas de pigmento	282
VIII.7 Trabajo de humectación	289
VIII.8 Trabajo de floculación	294
VIII.9 Reología de la dispersión de los pigmentos	296
Capítulo IX. Estabilidad de las dispersiones	299
IX.1 Introducción	300
IX.2 Estabilidad de las dispersiones	300
IX.3 Fuerzas de atracción y de repulsión en los sistemas dispersos	302
IX.4 Estabilización de la dispersión	307
IX.5 Consideraciones sobre el agente dispersante	313

Capítulo X. Molinos para la dispersión de los pigmento	317
X.1 Introducción	318
X.2 Selección de molinos	318
X.3 Molino de cilindros o de tres rodillos	320
X.4 Molino de bolas	322
X.5 Molino de arena o de perlas	329
X.6 Dispersoras de alta velocidad	335
Capítulo XI. Control y prevención de la contaminación del medio ambiente en la producción de pinturas	342
XI.1 Diseño de proyecto de ingeniería ambiental	343
XI.2 La evolución de la contaminación ambiental	344
XI.3 Clasificación de los residuos industriales	344
XI.4 Generación de residuos en la industria de la pintura	345
XI.5 Fabricación de pinturas y etapas de generación de residuos	347
XI.6 Prevención y control de la contaminación durante el proceso	349
XI.7 Tratamientos y tecnologías anticontaminantes	363
D. FALLAS DE LA PELÍCULA Y CONTROL DE CALIDAD	375
Capítulo XII. Fallas en películas de pintura	376
XII.1 Introducción	376
XII.2 Selección del sistema de pinturas	377
XII.3 Fallas de formulación de pinturas orgánicas	378
XII.4 Fallas de formulación de pinturas inorgánicas	386
XII.5 Fallas de adhesión	388
XII.6 Fallas relacionadas con el sustrato	391
XII.7 Fallas relacionadas con la aplicación	394
Capítulo XIII. Control de calidad	401
XIII.1 Introducción	402
XIII.2 Espesor de la película	402
XIII.3 Densidad de la película seca	407
XIII.4 Continuidad de la película	408
XIII.5 Propiedades visuales	409
XIII.6 Ensayos de durabilidad	416
E. BIBLIOGRAFÍA	
Parte A. Generalidades y principales componentes, Capítulos I, II, III, IV y V	433
Parte B. Relación pigmento/material formador de película, Capítulos VI y VII	434
Parte C. Manufactura de pinturas, Capítulos VIII, IX, X y XI	437
Parte D. Fallas de la película y control de calidad, Capítulos XII y XIII	439
	441